

LED line PRIME Code: 202061 EAN: 5905378202061

LED tube T8 G13 4000K 9W 1350lm 230V 270° Glass 60cm PRIME



LED light bulb T8 9W 4000K 1350Im from LED line PRIME is an innovative light source that provides energy efficiency and high performance. With SMD2835 technology, it reaches a light stream of 1350 lumens at just 9 W. Colour of light 4000 K creates a natural climate in the rooms. Glass insert minimizes reflectivity, and the C13 handle facilitates installation in T8 fittings.















Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 9 W
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	150
Luminous flux	1350 lm
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	T8
Beam angle	270 °
LED type	SMD2835
LED quantity	46
Lifespan	25 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Length	600
Material	Glass
Material (housing)	Glass
Material (cover)	glass




LED line PRIME Code: 202061 EAN: 5905378202061

LED tube T8 G13 4000K 9W 1350lm 230V 270° Glass 60cm PRIME

Technical drawing




Light distribution




Additional product photos









Logistics data









Single packaging

Quantity	1
Width	50 mm
Height	14 mm
Length	50 mm
Weight	0,12 kg

Bulk packaging

Quantity	25
Width	660 mm
Height	175 mm
Length	170 mm
Volume	0,020 m3
Weight	4,1 kg

Europallet

Quantity	1800
Height	1,90 m
Quantity in layer	200
Number of layers	9
Bulk quantity	72
Weight	190 kg

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME Code: 202061 EAN: 5905378202061

LED tube T8 G13 4000K 9W 1350lm 230V 270° Glass 60cm PRIME

Example application