

LED line PRIME

Code: 245411

EAN: 5901583245411

LED line downlight waterproof round chrome

LED line ceiling housing Prime combines modern design with functionality, offering elegant round shape and chrome finish. Its diameter is 85 mm and the dedicated light source has a diameter of 50 mm. Made of transparent glass and powder-painted sheet metal, it provides not only aesthetics but also durability. With IP44 protection class is resistant to moisture.



Technical data

Parameter	Value
Warranty	5
IEC protection class	III
Maximum suitable lamp power	35 W
Fixture's diameter	85
Lamp's diameter	50 mm
Type of surface suitable for installation	F
Distance from illuminated surface	0.5 m

Parameter	Value
Installation method	recessed
Mounting hole diameter	70
Height	36
Colour	chrome
Material (housing)	Sheet metal
Material (cover)	clear glass

LED line PRIME

Code: 245411

EAN: 5901583245411

LED line downlight waterproof round chrome




Technical drawing

Light distribution

Additional product photos



Logistics data



Single packaging

Quantity	1
Width	100 mm
Height	45 mm
Length	125 mm
Weight	0,09 kg

Bulk packaging

Quantity	100
Width	380 mm
Height	220 mm
Length	470 mm
Volume	0,039 m3
Weight	12 kg
Comments	

Europallet

Quantity	3600
Height	1760 mm
Quantity in layer	400
Number of layers	8
Bulk quantity	3200
Weight	384 kg

---

LED line PRIME

Code: 245411

EAN: 5901583245411

**LED line downlight waterproof round  
chrome**

---

**Example application**