

LED line PRIME

Code: 242823

EAN: 5901583242823

LED line downlight round die cast aluminium satin

LED line Ceiling housing round satin casting, created by the PRIME LED line brand, is distinguished by its elegant design and solid aluminum casting. Offering a maximum power of 35 W and a diameter of 80 mm, it guarantees effective lighting. IP20 leak class ensures safety of use. Powder painting in shiny finish makes the frame fit into a variety of interior arrangements.



Technical data

Parameter	Value
Warranty	5
IP protection rating	IP20
IEC protection class	III
Maximum suitable lamp power	35 W
Fixture's diameter	80
Lamp's diameter	50 mm
Type of surface suitable for installation	F

Parameter	Value
Distance from illuminated surface	0.5 m
Installation method	recessed
Mounting hole diameter	65
Height	30
Colour	satin
Material (housing)	Die cast aluminium


LED line PRIME

Code: 242823

EAN: 5901583242823

LED line downlight round die cast aluminium satin

Technical drawing




Light distribution

Additional product photos




Logistics data




Single packaging

Quantity	1
Width	90 mm
Height	90 mm
Length	40 mm
Weight	0,05 kg



Bulk packaging

Quantity	100
Width	380 mm
Height	220 mm
Length	470 mm
Volume	0,039 m3
Weight	8 kg
Comments	



Europallet

Quantity	2800
Height	1760 mm
Quantity in layer	400
Number of layers	8
Bulk quantity	3200
Weight	256 kg

LED line PRIME

Code: 242823

EAN: 5901583242823

**LED line downlight round die cast
aluminium satin**

Example application