

LED line PRIME

Code: LL-40-24

EAN: 5905378227644

Power Supply 40-24 IP67 40W 24V
PRIME



Professional constant voltage power supplies LED line guarantee stable and safe operation of any LED lighting system. They stand out for their high energy efficiency and a complete set of protections that safeguard the installation against surges and overheating. With a durable construction and compact dimensions, they are the ideal solution for both home and commercial applications. Choose reliability and quality that ensure trouble-free operation for years.



Technical data

Parameter	Value
Warranty	5
Voltage	• 220-240 V AC
IP protection rating	IP67
IK protection rating	04
IEC protection class	II
Output current range	0 - 1,66 A
Output current	1,66 A
Rated current	0,193

Parameter	Value
Frequency of the supply voltage	50/60Hz
Power Factor	0,9
Ambient temperature suitable for operation	-20÷45
Length	118 mm
Width	35 mm
Height	26 mm
Weight	0,20 kg
Output voltage	• 24 V

LED line PRIME

Code: LL-40-24

EAN: 5905378227644

Power Supply 40-24 IP67 40W 24V

PRIME


Technical drawing

Light distribution

Additional product photos




Logistics data




Single packaging

Width	55 mm
Height	50 mm
Length	170 mm
Weight	0,222 kg



Bulk packaging

Quantity	50
Width	300 mm
Height	275 mm
Length	355 mm
Weight	11 kg



Europallet

Quantity	2400
Height	1,9 m
Bulk quantity	48
Weight	560 kg

LED line PRIME

Code: LL-40-24

EAN: 5905378227644

Power Supply 40-24 IP67 40W 24V
PRIME

Example application