

LED line PRIME

Code: 210608

EAN: 5905378210608

**Connector I mini linear for 3 phase track  
LUMICANTO white PRIME**

The LUMICANTO I mini connector in white from LED line PRIME is a modern and functional solution for lighting systems. Made of high quality plastic, it is characterized by a solid design and easy installation thanks to the 3-wire rail mounting. Powered by 220-240V AC, it is distinguished by a rated current of 16A.



**Technical data**

Parameter	Value
Warranty	5/7*
IEC protection class	I
Rated power	220-240V AC
Rated current	16A
Mounting type	3 phase rail
Frequency of the supply voltage	50/60Hz
Ambient temperature suitable for operation	5÷40

Parameter	Value
Length	68
Width	27
Height	31
Power supply connection	nie
Equivalent	XTS 21
Colour	White
Material (housing)	Plastic

LED line PRIME

Code: 210608

EAN: 5905378210608

**Connector I mini linear for 3 phase track  
LUMICANTO white PRIME**



Technical drawing

Light distribution

Additional product photos



**Logistics data**



**Single packaging**

Width	30 mm
Height	70 mm
Length	30 mm
Weight	0,02 kg

**Bulk packaging**

Quantity	300
Width	200 mm
Height	200 mm
Length	300 mm
Volume	0,012 m3
Weight	7,2 kg

**Europallet**

Height	1800 mm
Quantity in layer	4800
Number of layers	9
Bulk quantity	43200
Weight	720 kg

---

LED line PRIME

Code: 210608

EAN: 5905378210608

**Connector I mini linear for 3 phase track  
LUMICANTO white PRIME**

---

**Example application**