

LED line LITE

product_card.label_product_code: 247354
product_card.label_product_gtin: 5901583247354

LEDOM E14 6W 3000K 522lm 220-240V
C37



product_card.label_technical_data

product_card.label_attribute_name	product_card.label_attribute_value	product_card.label_attribute_name	product_card.label_attribute_value
Luminous efficacy	87 lm/W	Beam angle	180 °
Colour of the light	White	Lifespan	50000
Energy efficiency class 2019/2015	F	Power Factor	0,5
Luminous flux	522 lm	Number of on/off cycles	50000
Colour consistency in McAdam ellipses	≤6	Colour consistency in McAdam ellipses	≤6
Warranty (years)	2	Ambient temperature suitable for operation	-20÷40 °C
Survival factor	0.9	For indoor use	Inside
Lifetime L70B50	50 000	Height	105 mm
Frequency of the supply voltage	50/60Hz	Energy class	A+
Colour rendering index Ra	80	Power	• 6 W
The lumen maintenance factor	96 %	Voltage	• 220-240 V AC
Lamp's diameter	37	Correlated colour temperature	• 3000 K

LED line LITE


product_card.label_product_code247354product_card.label_product_gtin:5901583247354

LEDOM E14 6W 3000K 522lm 220-240V C37




product_card.label_dimensions

product_card.label_curve_light

product_card.label_product_gallery



product_card.label_logistic_data



product_card.label_single_package

Width	40 mm
Height	110 mm mm
Length	40 mm mm
Weight	0,03 kg kg
	1

product_card.label_collective_package

Number of pieces/tape in meters pack zb	100 szt.
Width	425 mm mm
Height of collective packaging	240 mm
Length	220 mm mm
Weight	4 kg kg
Volume	0,022 m3 m3

product_card.label_europalette

Number of pieces/tapes in meters euro pallet	4200
Quantity collective euro pallet	4800 szt.
Weight of a euro pallet	192 kg kg
Pallet height	1920 mm
Quantity in 1 layer	600 szt.
Number of layers	8

LED line LITE

product_card.label_product_code: 247354 product_card.label_product_gtin: 5901583247354

LEDOM E14 6W 3000K 522lm 220-240V
C37

product_card.label_realization_photo