

LED line PRIME

Code: 201330-CAW3HAT


EAN: 5905378228894

**Backlit panel 4000K 40W 4800lm IP20  
30x120cm white PRIME emergency  
module CAW 3h AT CNBOP**



Backlit Panel 40W is an advanced lighting solution with a power of 40W, emitting white light with a temperature of 4000K and a luminous flux of 4800 lm. It has a beam angle of 120°, which ensures optimal light distribution. Made of aluminum and polystyrene, it features high-quality workmanship and a durability of up to 75,000 hours of operation. It offers a color rendering index Ra of 80 and an energy efficiency class D.

**Version with emergency module 3H + AT and CNBOP certification.**



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 40 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IK protection rating	02
IEC protection class	II
Luminous efficacy	120
Luminous flux	4800
The lumen maintenance factor	96
Lifetime L70B50	75 000 h
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	50000 h
L90B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	35000 h
Survival factor	0.9
Dimmable function	PWM

Parameter	Value
Colour consistency in McAdam ellipses	≤3
Emergency module test	Autotest
Operating time in emergency mode	3 h
Frequency of the supply voltage	50/60Hz
Beam angle	120
LED type	SMD LED 2835
LED quantity	48
Power Factor	≥0,95
Number of on/off cycles	25000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-25÷45
For indoor use	Inside
Height	28
Colour	white
Material (housing)	Aluminium
Material (cover)	Polystyrene
Emergency module	• YES


LED line PRIME

Code: 201330-CAW3HAT


EAN: 5905378228894

**Backlit panel 4000K 40W 4800lm IP20  
30x120cm white PRIME emergency  
module CAW 3h AT CNBOP**

**Technical drawing**



**Light distribution**



**Additional product photos**



**Logistics data**



**Single packaging**

Quantity	1
Width	305 mm
Height	32 mm
Length	1240 mm
Weight	1,7 kg

**Bulk packaging**

Quantity	6
Width	330 mm
Height	240 mm
Length	1265 mm
Volume	
Weight	11,57 kg
Comments	

**Europallet**

Quantity	54
Height	1,90 m
Quantity in layer	
Number of layers	
Bulk quantity	9
Weight	113 kg

---

LED line PRIME

Code: 201330-CAW3HAT

EAN: 5905378228894

**Backlit panel 4000K 40W 4800lm IP20  
30x120cm white PRIME emergency  
module CAW 3h AT CNBOP**

---

Example application