

LED line LITE

Code: 248665

EAN: 5901583248665

**LED bulb GU10 4000K 3W 240lm 230V
120° PC LITE**



The GU10 3W 4000K 240lm bulb is an energy-efficient light source that combines modern technology with high-quality craftsmanship. It emits neutral white light with a color temperature of 4000 K, which promotes accurate color reproduction. The luminous flux of 240 lumens and a beam angle of 120° ensure wide coverage and eliminate shadows.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	G
Warranty	3
Power	• 3 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	80
Luminous flux	240 lm
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	35000 h

Parameter	Value
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Beam angle	120 °
Lifespan	50 000 h
Power Factor	0,4
Number of on/off cycles	50000
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	55
Fixture's diameter	50 mm
Material (housing)	Polycarbonate

LED line LITE


Code: 248665

EAN: 5901583248665

**LED bulb GU10 4000K 3W 240lm 230V
120° PC LITE**

Technical drawing



Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	52 mm
Height	52 mm
Length	59 mm
Weight	0,02 kg

Bulk packaging

Quantity	100
Width	280 mm
Height	145 mm
Length	550 mm
Volume	0,022 m3
Weight	3 kg
Comments	

Europallet

Quantity	4400
Height	1885 mm
Quantity in layer	400
Number of layers	13
Bulk quantity	5200
Weight	122,2 kg

LED line LITE

Code: 248665

EAN: 5901583248665

**LED bulb GU10 4000K 3W 240lm 230V
120° PC LITE**

Example application

