

LED line LITE

Code: 202863

EAN: 5905378202863

LED line LITE Downlight EASY FIX PRO
18W 1800lm CCT 3000-5000K square



LED line panel LITE Downlight EASY FIX PRO 18W delivers a light stream of 1,800 lumens, which guarantees effective lighting. Thanks to the CCT function it is possible to adjust the colour of the light from 3000K to 5000K. The high quality of the workmanship, the Ra>85 colour rendering factor and the lack of flickering effect provide comfort of use. The product is characterized by IP20 leak class and E energy class.



Technical data

Parameter	Value
Voltage	• 220-240 V AC
Luminous efficacy	100
Colour of the light	White
Energy efficiency class 2019/2015	E
Luminous flux	1800
Colour consistency in McAdam ellipses	≤6
Warranty (years)	3
IP protection rating	IP20
Dimmable function	PWM
Survival factor	0.9
Lifetime L70B50	25 000 h
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
Colour	White
The lumen maintenance factor	96

Parameter	Value
Beam angle	110
Material (cover)	polycarbonate
LED type	SMD2835
LED quantity	168
Power Factor	0,7
Number of on/off cycles	20000
Colour consistency in McAdam ellipses	≤6
Ambient temperature suitable for operation	-20÷40
Mounting hole diameter	55-175
For indoor use	Inside
IEC protection class	II
IK protection rating	05
Lamp's warm-up time to 60%	1 s
Correlated colour temperature	• 3000 K • 4000 K • 5000 K
Power	• 18 W


LED line LITE

Code: 202863


EAN: 5905378202863

**LED line LITE Downlight EASY FIX PRO
18W 1800lm CCT 3000-5000K square**


Technical drawing




Light distribution




Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

LED line LITE

Code: 202863

EAN: 5905378202863

**LED line LITE Downlight EASY FIX PRO
18W 1800lm CCT 3000-5000K square**

Example application