

LED line PRIME

Code: 479839

EAN: 5907777479839

LED line PRIME LED strip 480 COB 24V 6500K 11W IP66



LED LED line PRIME 480 COB 24V 6500K 11W IP66 is a modern lighting with high performance and excellent color reproduction (Ra 90.0). It offers a power of 11 W per metre and a light stream of as many as 1,100 lumens. Thanks to IP66 leak class, it provides resistance to dust and moisture, which allows it to be applied under different conditions. The PWM dimming system allows for precise adjustment of light intensity to the user's needs.



Technical data

Parameter	Value	Parameter	Value
Voltage	• 24 V DC	Metres per roll	5 m
Luminous efficacy	100	The lumen maintenance factor	96
Colour of the light	White	Beam angle	180
Energy efficiency class 2019/2015	F	LED type	COB
Colour consistency in McAdam ellipses	≤3	LED quantity	2400
Warranty (years)	5	Compatible dimmer type	PWM
IP protection rating	IP66	Laminate (colour)	White
Dimmable function	PWM	Laminate (thickness)	2
Survival factor	0.9	LED quantity (1m)	480
Minimum purchase quantity	5	Cutting section	5 cm
Lifetime L70B50	50 000 h	Type of adhesive tape	3M 300 LSE
Wire length	200 mm	Colour consistency in McAdam ellipses	≤3
Wattage (1m)	11	Ambient temperature suitable for operation	-30÷45
Luminous flux (1m)	1100	For indoor use	Inside
Current (1m)	0,46	IEC protection class	III
Colour rendering index Ra	90	Power	• 11 W/m


LED line PRIME

Code: 479839

EAN: 5907777479839

**LED line PRIME LED strip 480 COB 24V  
6500K 11W IP66**

**Technical drawing**




**Light distribution**


**Additional product photos**




**Logistics data**



**Single packaging**



**Bulk packaging**



**Europallet**

---

LED line PRIME

Code: 479839

EAN: 5907777479839

**LED line PRIME LED strip 480 COB 24V  
6500K 11W IP66**

---

**Example application**