

LED line PRIME

Code: 201774

EAN: 5905378201774

LED bulb E27 7W 6500K 1000lm 170-250V G45 globe PRIME



Technical data

Parameter	Value	Parameter	Value
Luminous efficacy	142 lm/W	Beam angle	220 °
Colour of the light	White	Material (cover)	glass
Energy efficiency class 2019/2015	D	Material (housing)	Ceramic
Luminous flux	1000 lm	LED type	SMD2835
Colour consistency in McAdam ellipses	≤6	Lifespan	30000
IP protection rating	IP20	Power Factor	0,5
Warranty (years)	5	Number of on/off cycles	50000
Dimmable function	PWM	Colour consistency in McAdam ellipses	≤6
Survival factor	0.9	Ambient temperature suitable for operation	-20÷40 °C
Lifetime L70B50	30 000	For indoor use	Inside
Material	Ceramic	Full box quantity	100 pc
Frequency of the supply voltage	50/60Hz	Lamp's warm-up time to 60%	1
Colour rendering index Ra	80	Height	84 mm
Colour	White	Power	• 7 W
The lumen maintenance factor	96 %	Voltage	• 170-250 V AC
Lamp's type	G45	Correlated colour temperature	• 6500 K
Lamp's diameter	45		

LED line PRIME

Code: 201774

EAN: 5905378201774

LED bulb E27 7W 6500K 1000lm 170-250V G45 globe PRIME


Dimensions

Light distribution

Additional product photos




Logistics data




Single packaging

Width	50 mm
Height	63 mm mm
Length	50 mm mm
Weight	0,06 kg kg
	1



Bulk packaging

Number of pieces/tape in meters pack zb	100 szt.
Width	530 mm mm
Height of collective packaging	230 mm
Length	270 mm mm
Weight	7 kg kg
Volume	0,032 m3 m3



Europallet

Quantity collective euro pallet	3200 szt.
Weight of a euro pallet	224 kg
Pallet height	1840 mm
Quantity in 1 layer	400 szt.
Number of layers	8

LED line PRIME

Code: 201774

EAN: 5905378201774

**LED bulb E27 7W 6500K 1000lm 170-
250V G45 globe PRIME**

Example application