

LED line LITE


Code: 202887

EAN: 5905378202887

**Backlit Panel 4000K 40W 4000lm IP20  
60x60cm white LITE**



LED Backlit 40W 4000K panel from LED line LITE is an advanced lighting fittings, which is distinguished by its high energy efficiency and robust performance. Thanks to the use of SMD LEDs 2835 the panel generates a light stream of 4000 lm at 40 W, which provides excellent lighting with minimal energy consumption. IP20 leak class and durable aluminium housing guarantee reliability of use.



**Technical data**

| Parameter                         | Value          |
|-----------------------------------|----------------|
| Energy efficiency class 2019/2015 | F              |
| Warranty                          | 3              |
| Power                             | • 40 W         |
| Voltage                           | • 220-240 V AC |
| Correlated colour temperature     | • 4000 K       |
| Colour of the light               | White          |
| Colour rendering index Ra         | 80             |
| IP protection rating              | IP20           |
| IK protection rating              | 02             |
| IEC protection class              | I              |
| Luminous efficacy                 | 100            |
| Luminous flux                     | 4000           |
| The lumen maintenance factor      | 96             |
| Lifetime L70B50                   | 30 000 h       |
| Survival factor                   | 0.9            |

| Parameter                                  | Value        |
|--|--------------|
| Colour consistency in McAdam ellipses      | ≤6           |
| Frequency of the supply voltage            | 50/60Hz      |
| Beam angle                                 | 120          |
| LED type                                   | SMD LED 2835 |
| LED quantity                               | 48           |
| Power Factor                               | 0,9          |
| Number of on/off cycles                    | 25000        |
| Lamp's warm-up time to 60%                 | 1            |
| Ambient temperature suitable for operation | -25÷45       |
| For indoor use                             | Inside       |
| Height                                     | 28           |
| Colour                                     | white        |
| Material (housing)                         | Aluminium    |
| Material (cover)                           | Polystyrene  |


LED line LITE

Code: 202887


EAN: 5905378202887

**Backlit Panel 4000K 40W 4000lm IP20  
60x60cm white LITE**

**Technical drawing**






**Light distribution**



**Additional product photos**



**Logistics data**



**Single packaging**

|          |        |
|----------|--------|
| Quantity | 1      |
| Width    | 595 mm |
| Height   | 28 mm  |
| Length   | 595 mm |
| Weight   | 1,3 kg |

**Bulk packaging**

|          |          |
|----------|----------|
| Quantity | 10       |
| Width    | 320 mm   |
| Height   | 620 mm   |
| Length   | 620 mm   |
| Volume   | 0,123 m3 |
| Weight   | 13 kg    |
| Comments |          |

**Europallet**

|                   |        |
|-------------------|--------|
| Quantity          | 70     |
| Height            | 1,90 m |
| Quantity in layer |        |
| Number of layers  |        |
| Bulk quantity     | 7      |
| Weight            | 120 kg |

LED line LITE

Code: 202887

EAN: 5905378202887

**Backlit Panel 4000K 40W 4000lm IP20  
60x60cm white LITE**

**Example application**

