

LED line PRIME

Code: 210950

EAN: 5905378210950

LED line PRIME LED strip 480 COB 24V  
3000K 11W 30m



LED LED line PRIME 480 COB 30 m long, supplied with 24 V DC voltage, provides an effective power of 11 W per meter. It is characterized by a colour of light 3000 K, offering pleasant warm shades. Equipped with COB diodes, it achieves high light performance of 1100 lm/m and an excellent colour rendering coefficient of 90 Ra. Thanks to the low values of the UGR and the used PWM technology eliminates the flickering effect.



Technical data

Parameter	Value
Voltage	• 24 V DC
Luminous efficacy	100
Colour of the light	White
Energy efficiency class 2019/2015	F
Colour consistency in McAdam ellipses	≤3
Warranty (years)	5
IP protection rating	IP20
Dimmable function	PWM
Survival factor	0.9
Minimum purchase quantity	30
Lifetime L70B50	50 000 h
Wire length	200 mm
Wattage (lm)	11
Luminous flux (lm)	1100
Current (lm)	0,46
Colour rendering index Ra	90
Metres per roll	30 m

Parameter	Value
The lumen maintenance factor	96
Beam angle	180
LED type	COB
LED quantity	2400
Compatible dimmer type	PWM
Laminate (colour)	White
Laminate (thickness)	2
LED quantity (lm)	480
Cutting section	5 cm
Type of adhesive tape	3M 300 LSE
Colour consistency in McAdam ellipses	≤3
Ambient temperature suitable for operation	-30÷45
For indoor use	Inside
IEC protection class	III
Correlated colour temperature	• 3000 K
Power	• 11 W/m

LED line PRIME

Code: 210950

EAN: 5905378210950

**LED line PRIME LED strip 480 COB 24V  
3000K 11W 30m**

Technical drawing

Light distribution

Additional product photos

Logistics data



Single packaging



Bulk packaging



Europallet

---

LED line PRIME

Code: 210950

EAN: 5905378210950

**LED line PRIME LED strip 480 COB 24V  
3000K 11W 30m**

---

**Example application**