

LED line PRIME

Code: 248153-II

EAN: 5905378201989

**LED bulb MR11 6500K 3W 330lm 10-14V
AC/DC 38° GU5,3 Ceramic PRIME**



LED bulb MR11 3W 6500K from LED line PRIME is an innovative lighting solution that stands out for its high efficiency and energy efficiency. It emits a cool white light with a colour temperature of 6500 K, which provides clear and clear lighting. With a nominal luminous flux of 330 lumens and a power of only 3 W, it has a capacity of 110 lm/W.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	5
Power	• 3 W
Voltage	• 10-14 V AC/DC
Correlated colour temperature	• 6500 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	110
Luminous flux	330 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	MR11
Beam angle	38°
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-5+40
For indoor use	Inside
Height	35
Fixture's diameter	35 mm
Colour	White
Material	Ceramic
Material (housing)	Ceramics

LED line PRIME


Code: 248153-II

EAN: 5905378201989

**LED bulb MR11 6500K 3W 330lm 10-14V
AC/DC 38° GU5,3 Ceramic PRIME**

Technical drawing


Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	47 mm
Height	125 mm
Length	47 mm
Weight	0,03 kg

Bulk packaging

Quantity	100
Width	205 mm
Height	115 mm
Length	420 mm
Volume	0,009 m3
Weight	3,5 kg

Europallet

Height	1840 mm
Quantity in layer	600
Number of layers	16
Bulk quantity	9600
Weight	480 kg

LED line PRIME

Code: 248153-II

EAN: 5905378201989

**LED bulb MR11 6500K 3W 330lm 10-14V
AC/DC 38° GU5,3 Ceramic PRIME**

Example application

