

LED line PRIME

Code: 211339

EAN: 5905378211339

**Solar luminaire LUNIR 4000K 50W
6W5V 1400lm IP65 black PRIME**



LUNIR 50W 4000K 1400lm 6W5V PRIME is a modern LED fixture that provides a luminous flux of 1400 lumens, which translates to effective lighting of the space. The light color of **4000 K** produces a neutral white, ideal for various applications.

The product is characterized by high resistance to weather conditions with an ingress protection class of **IP65** and a solid construction made of polycarbonate and ABS.



Technical data

Parameter	Value
Warranty	5
Power	• 50 W
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	70
IK protection rating	08
Luminous flux	1400
Lifetime L70B50	30 000 h
Loading time	4 h
Wire length	2 000 mm
Type of battery	3.2V 4000mAh

Parameter	Value
Beam angle	90
Motion detection range and angle	120
Sensor type	PIR
LED type	SMD 2835
LED quantity	44
Ambient temperature suitable for operation	-20÷40
Height	141
Colour	black
Material (housing)	ABS
Material (cover)	Polycarbonate


LED line PRIME

Code: 211339

EAN: 5905378211339

**Solar luminaire LUNIR 4000K 50W
6W5V 1400lm IP65 black PRIME**

Technical drawing



Light distribution

Additional product photos




Logistics data




Single packaging

Quantity	1
Width	225 mm
Height	223 mm
Length	77 mm



Bulk packaging

Quantity	20
Width	405 mm
Height	475 mm
Length	470 mm
Weight	25 kg



Europallet

Quantity	160
Height	1,8 m
Quantity in layer	40
Number of layers	4
Bulk quantity	8
Weight	225 kg

LED line PRIME

Code: 211339

EAN: 5905378211339

**Solar luminaire LUNIR 4000K 50W
6W5V 1400lm IP65 black PRIME**

Example application

