

LED line LITE


Code: 241963

EAN: 5901583241963

**LED bulb GU10 2700K 5W 450lm 230V  
120° Glass LITE**



LED line bulb LITE GU10 5W 2700K is a modern light source with 5W power and 450 lm light stream. It is characterized by a warm colour of light (2700 K), ideal for creating a cozy atmosphere. The lighting angle is 120°, which provides even illumination of the space. High light efficiency of 90 lm/W and long life to 30,000 hours translate into energy efficiency.



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 5 W
Voltage	• 220-260 V AC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	90
Luminous flux	450 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Beam angle	120 °
LED type	SMD2835
Power Factor	0,4
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	55
Fixture's diameter	50 mm
Material (housing)	Glass
Material (cover)	glass


LED line LITE

Code: 241963


EAN: 5901583241963

**LED bulb GU10 2700K 5W 450lm 230V  
120° Glass LITE**

**Technical drawing**




**Light distribution**



**Additional product photos**



**Logistics data**



**Single packaging**

Quantity	10
Width	50 mm
Height	50 mm
Length	60 mm
Weight	0,07 kg

**Bulk packaging**

Quantity	100
Width	290 mm
Height	170 mm
Length	595 mm
Volume	0,029 m3
Weight	6,5 kg
Comments	

**Europallet**

Quantity	4500
Height	1870 mm
Quantity in layer	400
Number of layers	11
Bulk quantity	4400
Weight	286 kg

LED line LITE

Code: 241963

EAN: 5901583241963

**LED bulb GU10 2700K 5W 450lm 230V  
120° Glass LITE**

**Example application**

