


LED line PRIME

Code: 201255-LAW3HAT

EAN: 5905378218369

Panel Backlit 28W 4000K 4000lm  
60x60 Emergency module PRIME  
LAW3HAT



Backlit panel 28W 4000K 4000lm 60x60 with PRIME LAW3HAT emergency module is a modern lighting solution that is characterized by high light performance of 142 lm/W and a neutral white light color (4000 K). Thanks to the use of SMD LED technology 2835, it provides uniform lighting without flickering effect. The high quality of aluminum and polystyrene ensures durability and aesthetics.



Technical data

Parameter	Value
Voltage	• 220-240 V AC
Luminous efficacy	142
Colour of the light	White
Energy efficiency class 2019/2015	C
Luminous flux	4000
Colour consistency in McAdam ellipses	≤3
Warranty (years)	5
IP protection rating	IP20
Dimmable function	PWM
Survival factor	0.9
Lifetime L70B50	75 000 h
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
Colour	white
The lumen maintenance factor	96

Parameter	Value
Beam angle	120
Material (cover)	polystyrene
Material (housing)	Aluminium
LED type	SMD LED 2835
LED quantity	96
Power Factor	0,9
Number of on/off cycles	25000
Colour consistency in McAdam ellipses	≤3
Ambient temperature suitable for operation	-25÷45
For indoor use	Inside
IEC protection class	II
Lamp's warm-up time to 60%	1 s
Correlated colour temperature	• 4000 K
Power	• 28 W

LED line PRIME

Code: 201255-LAW3HAT


EAN: 5905378218369

**Panel Backlit 28W 4000K 4000lm  
60x60 Emergency module PRIME  
LAW3HAT**


**Technical drawing**

**Light distribution**


**Additional product photos**




**Logistics data**



**Single packaging**



**Bulk packaging**



**Europallet**

LED line PRIME

Code: 201255-LAW3HAT

EAN: 5905378218369

**Panel Backlit 28W 4000K 4000lm  
60x60 Emergency module PRIME  
LAW3HAT**

**Example application**

