

LED line LITE

Code: 203907-II

EAN: 5905378218253

Hermetic luminaire VANTA 1xT8 LED  
IP65 150cm gray ABS/PS LITE

New

The VANTA 1x150cm T8 LED is an innovative lighting solution that guarantees high efficiency and durability. Made of ABS material and polystyrene, it provides excellent resistance to external factors. Its length is 1570 mm and its width is 70 mm at 60 mm. The product is characterized by a class of IP66 and IK06 protection, making it ideal for installation both inside and outside buildings.



Technical data

| Parameter            | Value  |
|----------------------|--|
| Warranty             | 3  |
| Voltage              | <ul style="list-style-type: none"><li>220-240 V AC</li></ul> |
| IP protection rating | IP65   |
| IK protection rating | 06   |

| Parameter                                  | Value  |
|--|--------|
| IEC protection class                       | II     |
| Socket type                                | G13    |
| Ambient temperature suitable for operation | -10÷40 |


LED line LITE

Code: 203907-II

EAN: 5905378218253

Hermetic luminaire VANTA 1xT8 LED  
IP65 150cm gray ABS/PS LITE

Technical drawing




Light distribution

Additional product photos




Logistics data




Single packaging

|        |         |
|--------|---------|
| Width  | 1570 mm |
| Height | 60 mm   |
| Length | 70 mm   |
| Weight | 0,81 kg |



Bulk packaging

|          |          |
|----------|----------|
| Quantity | 16       |
| Width    | 225 mm   |
| Height   | 265 mm   |
| Length   | 1601 mm  |
| Volume   | 0,114 m3 |
| Weight   | 13 kg    |



Europallet

|                   |        |
|-------------------|--------|
| Quantity          | 192    |
| Height            | 1,6 m  |
| Quantity in layer | 48     |
| Number of layers  | 4      |
| Bulk quantity     | 12     |
| Weight            | 190 kg |

---

LED line LITE

Code: 203907-II

EAN: 5905378218253

**Hermetic luminaire VANTA 1xT8 LED  
IP65 150cm gray ABS/PS LITE**

---

**Example application**