

LED line PRIME

Code: 243134

EAN: 5901583243134

LED line® downlight recessed-mounted
round silver ROLLO MIDI



Technical data

Parameter	Value
Maximum suitable lamp power	35
IP protection rating	IP20
Warranty (years)	5
Colour	silver
Fixture's diameter	96
Lamp's diameter	50
Material (housing)	aluminum
Y-axis angle regulation	45

Parameter	Value
Type of surface suitable for installation	F
Distance from illuminated surface	0.5
Installation method	recessed
Mounting hole diameter	85 mm
For indoor and outdoor use	YES
IEC protection class	III
Full box quantity	50 pc
Height	50 mm

LED line PRIME

Code: 243134


EAN: 5901583243134

LED line® downlight recessed-mounted
round silver ROLLO MIDI


Dimensions

Light distribution

Additional product photos




Logistics data




Single packaging

Width	100 mm
Height	45 mm
Length	125 mm
Weight	0,15 kg



Bulk packaging

Number of pieces/tape in meters pack zb	50 szt.
Width	520 mm
Height of collective packaging	240 mm
Length	270 mm
Weight	11 kg
Volume	0,033 m3



Europallet

Quantity collective euro pallet	1600 szt.
Weight of a euro pallet	377,0
Pallet height	1920 mm
Quantity in 1 layer	200 szt.
Number of layers	8

LED line PRIME

Code: 243134

EAN: 5901583243134

**LED line® downlight recessed-mounted
round silver ROLLO MIDI**

Example application