

LED line PRIME

Code: 201620

EAN: 5905378201620

**LED bulb E14 6500K 5W 700lm 230V
220° C37 Ceramic PRIME**



LED bulb E14 5W 6500K 700lm by LED line PRIME is distinguished by its modern design and high efficiency. It emits cold light with color temperature of 6500K, which promotes the natural illumination of space. Its light stream reaches 700 lumens with only 5 watts of power guarantees impressive energy efficiency of 140 lm/W. Made of ceramic and glass, it ensures durability for up to 30,000 hours of operation and resistance to 50,000 switching cycles.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 5 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 6500 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	140
Luminous flux	700 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz

Parameter	Value
Lamp's type	C37
Beam angle	220 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	111
Fixture's diameter	37 mm
Colour	White
Material	Ceramic
Material (housing)	Ceramics
Material (cover)	glass


LED line PRIME

Code: 201620


EAN: 5905378201620

**LED bulb E14 6500K 5W 700lm 230V
220° C37 Ceramic PRIME**

Technical drawing




Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	47 mm
Height	125 mm
Length	47 mm
Weight	0,06 kg

Bulk packaging

Quantity	100
Width	270 mm
Height	255 mm
Length	500 mm
Volume	0,034 m3
Weight	7 kg

Europallet

Height	1890 mm
Quantity in layer	600
Number of layers	7
Bulk quantity	4200
Weight	294 kg

LED line PRIME

Code: 201620

EAN: 5905378201620

**LED bulb E14 6500K 5W 700lm 230V
220° C37 Ceramic PRIME**

Example application