MORE EFFICIENCY FOR THE LED WORLD

LE**D** line

LED line PRIME

LED line[®] Ceiling light round 220-240V 16W LUNAR



Code: 470577

EAN: 5907777470577

A G E

The 16W LUNAR LED lamp is a perfect combination of performance and modern design. It emits white light with a colour temperature of 4000 K, which provides comfortable lighting conditions. With impressive light output of 85 Im/W and a light stream of 1360 Im, it guarantees energy efficiency. IP65 leak class and polycarbonate housing provide resistance to adverse weather conditions.

CE

Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Energy class	A+
Warranty	5
Power	• 16 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP65
IK protection rating	10
IEC protection class	П
Luminous efficacy	85
Luminous flux	1360
The lumen maintenance factor	96
Lifetime L70B50	50 000 h

Parameter	Value
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Output current	0,073
Frequency of the supply voltage	50/60Hz
Fixture's diameter	265
Beam angle	120
LED type	SMD2835
LED quantity	140
Lifespan	50 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	ls
Ambient temperature suitable for operation	-40÷45
Colour	White
Material (housing)	Polycarbonate
Material (cover)	polycarbonate

MORE EFFICIENCY FOR THE LED WORLD




LED line PRIME

Code: 470577

EAN: 5907777470577


LED line® Ceiling light round 220-240V **16W LUNAR**

Technical drawing



Light distribution

Luminous [cd/klm]




Additional product photos







Logistics data



Single packaging



Bulk packaging



Europallet

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME

Code: 470577

EAN: 5907777470577

LED line[®] Ceiling light round 220-240V 16W LUNAR

Example application