

LED line LITE

Code: 209596

EAN: 5905378209596

**LED bulb G9 3000K 8W 750lm 230V
270° Ceramic LITE**



LED LITE G9 bulb with power of 8 W provides excellent lighting thanks to a total luminous flux of 750 lumens. Colour of light 3000 K emits a pleasant, warm light, ideal for interiors. It works in voltage range 220-240 V AC, which guarantees wide compatibility with existing electrical installations. The product has a high light efficiency of 94 lm/W and a long shelf life of as much as 30,000 hours.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 8 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	94
Luminous flux	750 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Beam angle	270 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Height	63
Fixture's diameter	19 mm
Colour	white
Material (housing)	Ceramics

LED line LITE

Code: 209596

EAN: 5905378209596

**LED bulb G9 3000K 8W 750lm 230V
270° Ceramic LITE**

Technical drawing




Light distribution

Additional product photos




Logistics data




Single packaging

Width	610 mm
Height	36 mm
Length	36 mm
Weight	0,02 kg



Bulk packaging

Quantity	500
Width	610 mm
Height	235 mm
Length	150 mm
Volume	0,021 m3
Weight	14,12 kg



Europallet

Height	1880 mm
Quantity in layer	4000
Number of layers	8
Bulk quantity	32000
Weight	903,68 kg

LED line LITE

Code: 209596

EAN: 5905378209596

**LED bulb G9 3000K 8W 750lm 230V
270° Ceramic LITE**

Example application