



## LED line PRIME LED strip 144 SMD 24V 4000K 6,5W 200lm/W



**LED Strip line** is a modern and versatile linear **light source**, used for interior lighting, furniture, lightboxes, illuminated signs, and public spaces.



Yellow free technology means that the housing of this product is made of high quality material which is resistant to yellowing degeneration caused by UV radiation, thanks to which the product maintains its esthetic appearance for many years.



The colour temperature range of the product falls within 3 steps of MacAdam formula, which ensures high consistency of the produced light.



Reliable photometric files are available based on photometric tests performed at the LED line® Light Research and Measurement Centre.



Manufacturer issues a 5-year warranty for this product.



Beam angle



Voltage range and voltage type



Ambient temperature suitable for operation



LED type



Lifespan



LED quantity



LED quantity (lm)

Parameter	Value
Luminous efficacy	200 lm/W
Colour of the light	White
Energy efficiency class 2019/2015	B
Correlated colour temperature	4000 K
Colour consistency in MacAdam ellipses	≤3
IP protection rating	20
Warranty (years)	5
Dimmable function	PWM
Survival factor	0.9
Minimum purchase quantity	5
Lifetime L70B50	50 000
Wire length	200 mm
Wattage (lm)	6,5 W
Luminous flux (lm)	1300
Current (lm)	0,27
Supply voltage range and voltage type	24 VDC

Parameter	Value
The lumen maintenance factor	96 %
Beam angle	120 °
LED type	SMD
LED quantity	720
Compatible dimmer type	PWM
Laminate (colour)	White
Laminate (thickness)	3
LED quantity (lm)	144
Cutting section	6,25
Type of adhesive tape	3M 300 LSE
Colour consistency in MacAdam ellipses	≤3
Ambient temperature suitable for operation	-25÷45 °C
For indoor use	Inside
IEC protection class	III
Length	5000 mm
Width	10 mm

Colour rendering index Ra	80	Height	2,5 mm
Metres per roll	5		

**Single packaging**



Width	153 mm
Height	15 mm
Length	153 mm
Weight	0,15 kg
	5

**Bulk packaging**



Number of pieces/tape in meters pack zb	40 szt.
Width	360 mm
Height of collective packaging	180 mm
Length	320 mm
Weight	5,4 kg
Volume	0,020 m <sup>3</sup>

**Europallet**



Number of pieces/tapes in meters euro pallet	12000 m
Quantity collective euro pallet	2400 szt.
Weight of a euro pallet	349,0
Pallet height	1800 mm
Quantity in 1 layer	240 szt.
Number of layers	10