

LED line LITE

Code: 202207

EAN: 5905378202207

**LED bulb E14 2700K 6W 720lm 230V
360° FILAMENT C35 Glass LITE**



LED bulb E14 6W 2700K 720lm FILAMENT LED line LITE C35 is an innovative light source that harmoniously combines efficiency with aesthetics. Thanks to the Filament and glass construction technology, it emits a warm, white light with a colour temperature of 2700 K. It is characterized by a luminous flux of 720 lumens and high energy efficiency of 120 lm/W.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	3
Power	• 6 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	120
Luminous flux	720 lm
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz

Parameter	Value
Lamp's type	C35
Beam angle	360 °
LED type	Filament
LED quantity	4
Lifespan	25 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	98
Fixture's diameter	35 mm
Material	Glass
Material (housing)	Glass
Material (cover)	glass


LED line LITE

Code: 202207

EAN: 5905378202207

**LED bulb E14 2700K 6W 720lm 230V
360° FILAMENT C35 Glass LITE**

Technical drawing






Light distribution

Additional product photos



Logistics data



Single packaging

Quantity	1
Width	60 mm
Height	125 mm
Length	60 mm
Weight	0,02 kg

Bulk packaging

Quantity	100
Width	225 mm
Height	200 mm
Length	380 mm
Volume	0,017 m3
Weight	2,54 kg

Europallet

Height	1800 mm
Quantity in layer	1200
Number of layers	8
Bulk quantity	9600
Weight	243,84 kg

LED line LITE

Code: 202207

EAN: 5905378202207

**LED bulb E14 2700K 6W 720lm 230V
360° FILAMENT C35 Glass LITE**

Example application

