

LED line PRIME

Code: 205819-LAW3HAT

EAN: 5905378218314

Panel Backlit 34W 4000K 4760lm 60x60
Emergency module PRIME LAW3HAT



The Backlit PRIME LAW3HAT panel with a power of 34W and a light colour temperature of 4000K provides an impressive light stream of 4760 lumens, providing illumination efficiency of 140 lm/W. Thanks to the use of SMD LED 2835 and high quality materials such as polystyrene and aluminum, the product has excellent durability, reaching up to 50,000 hours of service.



Technical data

Parameter	Value
Operating time in emergency mode	3 h
Emergency module test	Auto Test
Voltage	<ul style="list-style-type: none">220-240 V AC
Luminous efficacy	140
Colour of the light	White
Energy efficiency class 2019/2015	C
Luminous flux	4760
Colour consistency in McAdam ellipses	≤6
Warranty (years)	5
IP protection rating	IP20
Dimmable function	Triac
Survival factor	0.9
Lifetime L70B50	50 000 h
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
Colour	White

Parameter	Value
The lumen maintenance factor	96
Beam angle	90
Material (cover)	polystyrene
Material (housing)	Aluminium
LED type	SMD LED 2835
LED quantity	128
Power Factor	0,9
Number of on/off cycles	50000
Colour consistency in McAdam ellipses	≤6
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
IEC protection class	II
IK protection rating	02
Lamp's warm-up time to 60%	1 s
Correlated colour temperature	<ul style="list-style-type: none">4000 K
Power	<ul style="list-style-type: none">34 W

LED line PRIME

Code: 205819-LAW3HAT

EAN: 5905378218314

**Panel Backlit 34W 4000K 4760lm 60x60
Emergency module PRIME LAW3HAT**

Technical drawing

Light distribution


Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

LED line PRIME

Code: 205819-LAW3HAT

EAN: 5905378218314

Panel Backlit 34W 4000K 4760lm 60x60
Emergency module PRIME LAW3HAT

Example application