

LED line PRIME


Code: 210554

EAN: 5905378210554

3 phase rail LUMICANTO 2m white PRIME



LUMICANTO 3-phase rail cable with a length of 2 meters in white, created by the PRIME LED line brand, provides excellent lighting possibilities. Made of high quality aluminum, it is characterized by a solid design and aesthetic finish. Thanks to the use of three phases allows flexible and convenient connection of several light sources simultaneously. The product has IP20 protection class, making it ideal for internal use.



Technical data

Parameter	Value
Warranty	5/7*
IEC protection class	I
Rated power	220-240V AC
Rated current	16A
Frequency of the supply voltage	50/60Hz

Parameter	Value
Ambient temperature suitable for operation	5÷40
Height	35,5
Equivalent	XTS 4200
Colour	White
Material (housing)	Aluminium

LED line PRIME

Code: 210554

EAN: 5905378210554

3 phase rail LUMICANTO 2m white

PRIME


Technical drawing

Light distribution

Additional product photos




Logistics data




Single packaging

Width	2000 mm
Height	35,5 mm
Length	31,5 mm
Weight	1,72 kg



Bulk packaging

Quantity	10
Width	180 mm
Height	80 mm
Length	2030 mm
Volume	0,029 m3
Weight	18 kg



Europallet

Height
Quantity in layer
Number of layers
Bulk quantity
Weight

LED line PRIME

Code: 210554

EAN: 5905378210554

3 phase rail LUMICANTO 2m white
PRIME

Example application