


LED line LITE

product_card.label_product_code: 470645
product_card.label_product_gtin: 5907777470645

LEDOM frameless LED panel 18W
4000K 1800lm



product_card.label_technical_data

product_card.label_attribute_name	product_card.label_attribute	product_card.label_attribute_name	product_card.label_attrib
Luminous efficacy	100 lm/W	LED quantity	90
Colour of the light	White	Lifespan	50000
Energy efficiency class 2019/2015	F	Power Factor	0,9
Luminous flux	1800 lm	Number of on/off cycles	50000
IP protection rating	IP20	Ambient temperature suitable for operation	-5÷40 °C
Warranty (years)	2	Mounting hole diameter	90 mm
Lifetime L70B50	30 000	For indoor use	Inside
Frequency of the supply voltage	50/60Hz	IEC protection class	I
Colour rendering index Ra	80	Full box quantity	40 pc
Colour	White	Lamp's warm-up time to 60%	1
Lamp's diameter	120	Height	32 mm
Beam angle	180 °	Energy class	A+
Material (cover)	polycarbonate	Power	• 18 W
Material (housing)	aluminum	Voltage	• 220-240 V AC
LED type	SMD2835	Correlated colour temperature	• 4000 K

LED line LITE

product_card.label_product_code: 470645
product_card.label_product_gtin: 5907777470645

LEDOM frameless LED panel 18W
4000K 1800lm


product_card.label_dimensions

product_card.label_curve_light

product_card.label_product_gallery




product_card.label_logistic_data




product_card.label_single_package

Width	130
Height	40 mm
Length	165 mm
Weight	0,39 kg
	1



product_card.label_collective_package

Number of pieces/tape in meters pack zb	40
Width	430 mm
Height of collective packaging	280
Length	350 mm
Weight	16,6 kg
Volume	0,04214 m3



product_card.label_europalette

Number of pieces/tapes in meters euro pallet	1000
Quantity collective euro pallet	25
Weight of a euro pallet	415 kg
Pallet height	1544
Quantity in 1 layer	5
Number of layers	5

LED line LITE

product_card.label.product_code: 470645 product_card.label.product_gtin: 5907777470645

LEDOM frameless LED panel 18W
4000K 1800lm

product_card.label.realization_photo