

LED line LITE

Code: 222311

EAN: 5905378222311

LED bulb E27 3CCT (2.7K/4K/6.5K) 12W
1200lm 230V 210° PC LITE



One bulb, three possibilities – this LED line source features color temperature change (CCT) with a simple switch on the housing. Choose warm, neutral, or cool light at any time, enjoying consistently high luminous efficiency and excellent color rendering. This universal "3 in 1" solution helps reduce inventory and perfectly matches the light to any arrangement or mood.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	12 W
Voltage	220-240 V AC
Correlated colour temperature	2700 K 4000 K 6500 K
Colour rendering index Ra	80
IP protection rating	IP20
IK protection rating	08
Luminous efficacy	100
Luminous flux	1200 lm

Parameter	Value
Lifetime L70B50	15 000 h
Bulb thread type	E27
Frequency of the supply voltage	50/60Hz
Beam angle	210°
Power Factor	0,5
Ambient temperature suitable for operation	-20÷45
For indoor use	Inside
Height	110 mm
Fixture's diameter	60 mm
Material (housing)	Aluminum+PBT+PVC

LED line LITE

Code: 222311

EAN: 5905378222311


LED bulb E27 3CCT (2.7K/4K/6.5K) 12W
1200lm 230V 210° PC LITE

Technical drawing

Light distribution


Additional product photos

Logistics data




Single packaging

Width	61 mm
Height	61 mm
Length	115 mm
Weight	0,040 kg



Bulk packaging

Quantity	100
Width	640 mm
Height	386 mm
Length	250 mm
Weight	4,5 kg



Europallet

Quantity	1800
Height	1,9 m
Quantity in layer	9
Number of layers	2
Bulk quantity	18
Weight	110 kg

LED line LITE

Code: 222311

EAN: 5905378222311

LED bulb E27 3CCT (2.7K/4K/6.5K) 12W
1200lm 230V 210° PC LITE

Example application