

LED line PRIME

Code: 241727-II

EAN: 5905378201828

**LED Bulb E27 4000K 10W 1400lm 230V
280° A60 Ceramic PRIME**



LED bulb E27 10W 4000K from LED line PRIME is an advanced light source offering neutral, white light with colour temperature 4000 K. It emits an impressive light stream of 1,400 lumens at consumption of only 10 In energy. Thanks to SMD2835 technology, it has high performance of 140 lm/W and extraordinary durability, providing up to 30,000 working hours. It has a colour reproduction coefficient of Ra ≥80 and a wide light angle of 280°.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 10 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	140
Luminous flux	1400 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Dimmable function	-
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	A60
Beam angle	280 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	110
Fixture's diameter	60 mm
Colour	White
Material	Ceramic
Material (housing)	Ceramics
Material (cover)	glass

LED line PRIME


Code: 241727-II

EAN: 5905378201828

**LED Bulb E27 4000K 10W 1400lm 230V
280° A60 Ceramic PRIME**

Technical drawing




Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	130 mm
Height	185 mm
Length	130 mm
Weight	0,06 kg

Bulk packaging

Quantity	100
Width	340 mm
Height	275 mm
Length	665 mm
Volume	0,062 m3
Weight	7,5 kg
Comments	

Europallet

Quantity	25000
Height	1925 mm
Quantity in layer	300
Number of layers	7
Bulk quantity	2100
Weight	157,5 kg

LED line PRIME

Code: 241727-II

EAN: 5905378201828

**LED Bulb E27 4000K 10W 1400lm 230V
280° A60 Ceramic PRIME**

Example application