

LED line PRIME

Code: 205970-LAW3HAT

EAN: 5905378218291

Panel Backlit 25W 4000K 4000lm
60x60 Emergency module PRIME
LAW3HAT



Backlit panel 25W from LED line PRIME is a modern lighting solution that combines efficiency with aesthetics. It emits bright light of neutral colour, reaching a luminous flux of 4000 lumens. Its construction based on aluminum and polystyrene ensures durability and elegant appearance. Powered by AC 200-240 V, the panel features an automatic module test function, offering up to 3 hours of emergency mode operation.



Technical data

Parameter	Value
Operating time in emergency mode	3 h
Emergency module test	Auto Test
Voltage	<div><ul style="list-style-type: none">200-240 V AC</div>
Luminous efficacy	160
Colour of the light	White
Energy efficiency class 2019/2015	C
Luminous flux	4000
Colour consistency in McAdam ellipses	≤6
Warranty (years)	5
IP protection rating	IP20
Dimmable function	PWM
Survival factor	0.9
Lifetime L70B50	50 000 h
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
Colour	white

Parameter	Value
The lumen maintenance factor	96
Beam angle	120
Material (cover)	polystyrene
Material (housing)	Aluminium
LED type	SMD LED 2835
LED quantity	96
Power Factor	0,9
Number of on/off cycles	50000
Colour consistency in McAdam ellipses	≤6
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
IEC protection class	II
IK protection rating	02
Lamp's warm-up time to 60%	1 s
Correlated colour temperature	<div><ul style="list-style-type: none">4000 K</div>
Power	<div><ul style="list-style-type: none">25 W</div>

LED line PRIME

Code: 205970-LAW3HAT

EAN: 5905378218291

**Panel Backlit 25W 4000K 4000lm
60x60 Emergency module PRIME
LAW3HAT**


Technical drawing

Light distribution


Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

LED line PRIME

Code: 205970-LAW3HAT

EAN: 5905378218291

**Panel Backlit 25W 4000K 4000lm
60x60 Emergency module PRIME
LAW3HAT**

Example application

