

LED line PRIME

Code: 222298


EAN: 5905378222298

Linear fixture NAREW 3CCT(3/4/5.7K)
36/42/51/60W 9000lm 110° IP40 150cm
black PRIME



The NAREW linear fixture by LED line PRIME is a modern lighting solution designed for indoor use.

With the ability to change power (36/42/51/60W) and adjust the color temperature of the light (3000 K, 4000 K, 5700 K), the product offers great flexibility in adapting the lighting to the individual needs of the user.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 36 W • 42 W • 51 W • 60 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 3000 K • 4000 K • 5700 K
Colour of the light	CCT
Colour rendering index Ra	80
IP protection rating	IP40
IK protection rating	09
IEC protection class	I
Luminous efficacy	150

Parameter	Value
Luminous flux	9000 lm
Lifetime L70B50	100 000 h
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	75000 h
L90B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	50000 h
Frequency of the supply voltage	50/60Hz
Beam angle	110°
Power Factor	0,9
Ambient temperature suitable for operation	-20÷45
For indoor use	Inside
Height	72 mm
Material (housing)	Aluminium


LED line PRIME

Code: 222298


EAN: 5905378222298

Linear fixture NAREW 3CCT(3/4/5.7K)
36/42/51/60W 9000lm 110° IP40 150cm
black PRIME


Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Width	80 mm
Height	52 mm
Length	1435 mm
Weight	2,1 kg



Bulk packaging

Quantity	6
Width	345 mm
Height	100 mm
Length	1450 mm
Weight	13,6 kg



Europallet

Quantity	144
Height	1,5 m
Quantity in layer	24
Number of layers	1
Bulk quantity	24
Weight	360 kg

LED line PRIME

Code: 222298

EAN: 5905378222298

**Linear fixture NAREW 3CCT(3/4/5.7K)
36/42/51/60W 9000lm 110° IP40 150cm
black PRIME**

Example application