

LED line PRIME

Code: 201903

EAN: 5905378201903

**LED bulb MR16 2700K 5W 600lm 10-18V
AC/DC 120° GU5,3 Ceramic PRIME**



LED bulb MR16 5W 2700K from LED line PRIME is an innovative light source with a power of 5W and a light stream of 600 lumens. It is characterized by a warm colour of light at 2700 K, ideal for creating a cozy atmosphere. The light output is 120 lm/W and the lighting angle is 120°, which provides even illumination of space.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	5
Power	• 5 W
Voltage	• 10-18 V AC/DC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	120
Luminous flux	600 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	MR16
Beam angle	120 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-5+40
For indoor use	Inside
Height	50
Fixture's diameter	50 mm
Colour	White
Material	Ceramic
Material (housing)	Ceramics


LED line PRIME

Code: 201903


EAN: 5905378201903

**LED bulb MR16 2700K 5W 600lm 10-18V
AC/DC 120° GU5,3 Ceramic PRIME**

Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	47 mm
Height	125 mm
Length	47 mm
Weight	0,06 kg

Bulk packaging

Quantity	100
Width	280 mm
Height	145 mm
Length	575 mm
Volume	0,023 m3
Weight	7 kg

Europallet

Height	1950 mm
Quantity in layer	400
Number of layers	13
Bulk quantity	5200
Weight	364 kg

LED line PRIME

Code: 201903

EAN: 5905378201903

**LED bulb MR16 2700K 5W 600lm 10-18V
AC/DC 120° GU5,3 Ceramic PRIME**

Example application

