

LED line LITE

Code: 201378

EAN: 5905378201378

LED line LITE Ceiling lamp PLAFON 12W
4000K 960lm IP44



product_card.label_technical_data

Parameter	Value	Parameter	Value
Luminous efficacy	80 lm/W	The lumen maintenance factor	96 %
Colour of the light	White	Lamp's diameter	260
Energy efficiency class 2019/2015	F	Beam angle	120 °
Luminous flux	960 lm	LED type	SMD 2835
Colour consistency in McAdam ellipses	≤6	LED quantity	14
IP protection rating	IP44	Colour consistency in McAdam ellipses	≤6
Warranty (years)	3	Ambient temperature suitable for operation	-20÷40 °C
Survival factor	0.9	For indoor and outdoor use	YES
Lifetime L70B50	30 000	IEC protection class	I
Weight	220 g	Height	52 mm
Frequency of the supply voltage	50/60Hz	Power	• 12 W
Colour rendering index Ra	80	Voltage	• 220-240 V AC
Colour	White	Correlated colour temperature	• 4000 K

LED line LITE

Code: 201378

EAN: 5905378201378

LED line LITE Ceiling lamp PLAFON 12W
4000K 960lm IP44


product_card.label_dimensions

product_card.label_curve_light

product_card.label_product_gallery




product_card.label_logistic_data




Single packaging

Width	300 mm
Height	300 mm mm
Length	70 mm mm
Weight	0,24 kg kg
	1



Bulk packaging

Number of pieces/tape in meters pack zb	16 szt.
Width	620 mm mm
Height of collective packaging	320 mm
Length	620 mm mm
Weight	4,19 kg kg
Volume	0,123 m3 m3



Europallet

Quantity collective euro pallet	96 szt.
Weight of a euro pallet	25,14 kg
Pallet height	1920 mm
Quantity in 1 layer	16 szt.
Number of layers	6

LED line LITE

Code: 201378

EAN: 5905378201378

**LED line LITE Ceiling lamp PLAFON 12W
4000K 960lm IP44**

Example application



MicrosoftTeams-image-(3).png