

LED line LITE

Code: 202337

EAN: 5905378202337

**LED bulb E27 4000K 7W 840lm 230V  
360° FILAMENT A60 DIM Glass LITE**



LED bulb E27 7W 4000K 840lm FILAMENT A60 DIM from LED line LITE is an innovative light source that combines modernity with classic style. It is characterized by a light stream of 840 lumens with a power of only 7 W, which translates into excellent energy efficiency of 120 lm/W. Thanks to the use of Filament LEDs and glass housing, the light is distributed evenly at an angle of 360°.



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	3
Power	• 7 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	120
Luminous flux	840 lm
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9
Dimmable function	Triac
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	A60
Beam angle	360 °
LED type	Filament
LED quantity	4
Lifespan	25 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	108
Fixture's diameter	60 mm
Material	Glass
Material (housing)	Glass
Material (cover)	glass


LED line LITE

Code: 202337

EAN: 5905378202337

**LED bulb E27 4000K 7W 840lm 230V  
360° FILAMENT A60 DIM Glass LITE**

**Technical drawing**






**Light distribution**

**Additional product photos**



**Logistics data**



**Single packaging**

Quantity	1
Width	50 mm
Height	50 mm
Length	60 mm
Weight	0,03 kg

**Bulk packaging**

Quantity	50
Width	325 mm
Height	240 mm
Length	325 mm
Volume	0,025 m3
Weight	2,86 kg

**Europallet**

Height	1920 mm
Quantity in layer	300
Number of layers	8
Bulk quantity	2400
Weight	137,28 kg

LED line LITE

Code: 202337

EAN: 5905378202337

**LED bulb E27 4000K 7W 840lm 230V  
360° FILAMENT A60 DIM Glass LITE**

**Example application**

