

LED line PRIME


Code: 217669

EAN: 5905378217669

ESTADIO 200W 5000K 20° 170lm/w
CRI80 PRIME

New

The stadium ESTADIO 200W LED line PRIME is an advanced solution, characterized by high light efficiency of 170 lm/W and IP66 class energy efficiency. It emits white light at a colour temperature of 5000 K, which provides excellent visibility. Thanks to the IK10 protection degree, the product is resistant to mechanical damage.



Technical data

Parameter	Value
Warranty	5
Power	• 200 W
Voltage	• 100-227 V AC
Correlated colour temperature	• 5000 K
Colour of the light	White
IP protection rating	IP66
IK protection rating	10
IEC protection class	I
Luminous efficacy	170
Luminous flux	34000
The lumen maintenance factor	96
Lifetime L70B50	100 000 h

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
CRI colour rendering index	80
Beam angle	20
LED type	EMC5050
LED quantity	100
Power Factor	0,95
Lamp's warm-up time to 60%	0,5 s
Ambient temperature suitable for operation	-40 / +45
For indoor use	Outside
Material (housing)	Aluminium
Material (cover)	polycarbonate

LED line PRIME

Code: 217669

EAN: 5905378217669

**ESTADIO 200W 5000K 20° 170lm/w
CRI80 PRIME**

Technical drawing

Light distribution


Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

LED line PRIME

Code: 217669

EAN: 5905378217669

**ESTADIO 200W 5000K 20° 170lm/w
CRI80 PRIME**

Example application