

LED line PRIME

Code: 201057-DALI

EAN: 5905378221598

**LINKER hermetic fixture 4000K 80W  
12000lm IP65 150cm gray PRIME DALI**



The LED LINKER 80W fixture from the LED line PRIME brand is an advanced lighting solution with high energy efficiency, achieving a luminous flux of 12000 lm and an efficiency of 150 lm/W. With an IP65 protection class, the fixture is perfectly protected against dust and water, allowing for its use in harsh conditions.



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 80 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP65
IK protection rating	08
IEC protection class	I
Luminous efficacy	150
Luminous flux	12000
The lumen maintenance factor	96
Lifetime L70B50	100 000 h
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	75000 h

Parameter	Value
L90B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	50000 h
Dimmable function	Dali
Frequency of the supply voltage	50/60Hz
Beam angle	120
LED type	SMD2842
Lifespan	100 000 h
Power Factor	0,9
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-25 ÷ 45
Height	61 mm
Colour	Grey
Material (housing)	Polycarbonate
Material (cover)	Polycarbonate
DALI	• YES


LED line PRIME

Code: 201057-DALI


EAN: 5905378221598

**LINKER hermetic fixture 4000K 80W  
12000lm IP65 150cm gray PRIME DALI**

**Technical drawing**






**Light distribution**



**Additional product photos**



**Logistics data**



**Single packaging**

Quantity	1
Width	75 mm
Height	65 mm
Length	1570 mm
Weight	1,95 kg

**Bulk packaging**

Quantity	12
Width	288 mm
Height	246 mm
Length	1538 mm
Volume	
Weight	28,2 kg

**Europallet**

Quantity	144
Height	1750 mm
Quantity in layer	
Number of layers	
Bulk quantity	12
Weight	363 kg

---

LED line PRIME

Code: 201057-DALI

EAN: 5905378221598

**LINKER hermetic fixture 4000K 80W  
12000lm IP65 150cm gray PRIME DALI**

---

**Example application**