

LED line PRIME

product_card.label_product_code: 200654
product_card.label_product_gtin: 5905378200654

LED line PRIME Floodlight 150W 4000K
21000lm 60°



product_card.label_technical_data

product_card.label_attribute_name	product_card.label_attribute_value	product_card.label_attribute_name	product_card.label_attribute_value
Luminous efficacy	140 lm/W	LED type	SMD2835
Colour of the light	White	LED quantity	360
Energy efficiency class 2019/2015	D	Power Factor	0,9
Luminous flux	21000 lm	Number of on/off cycles	50000
Colour consistency in McAdam ellipses	≤6	Colour consistency in McAdam ellipses	≤6
IP protection rating	IP66	Ambient temperature suitable for operation	-40÷45 °C
Warranty (years)	5	For indoor and outdoor use	YES
Survival factor	0,9	IEC protection class	I
Lifetime L70B50	50 000	IK protection rating	08
Weight	3,3 g	Full box quantity	1 pc
Mounting type	surface	Lamp's warm-up time to 60%	1
Frequency of the supply voltage	50/60Hz	Length	412 mm
Colour rendering index Ra	70	Width	360 mm
The lumen maintenance factor	96 %	Height	54 mm
Beam angle	60 °	Power	• 150 W
Material (cover)	tempered glass	Voltage	• 100-227 V AC
Material (housing)	aluminum	Correlated colour temperature	• 4000 K

LED line PRIME


product_card.label_product_code: 200654
product_card.label_product_gtin: 5905378200654

LED line PRIME Floodlight 150W 4000K
21000lm 60°




product_card.label_dimensions

product_card.label_curve_light

product_card.label_product_gallery



product_card.label_logistic_data



product_card.label_single_package

Width	412 mm
Height	54 mm mm
Length	360 mm mm
Weight	3,57 kg kg

product_card.label_collective_package

Number of pieces/tape in meters pack zb	1 szt.
Width	550 mm mm
Height of collective packaging	82 mm
Length	560 mm mm
Weight	0 kg kg
Volume	0,025 m3 m3

product_card.label_europalette

Number of pieces/tapes in meters euro pallet	60
Quantity collective euro pallet	46 szt.
Weight of a euro pallet	25 kg kg
Pallet height	1886 mm
Quantity in 1 layer	2 szt.
Number of layers	23

LED line PRIME

product_card.label_product_code: 200654 product_card.label_product_gtin: 5905378200654

LED line PRIME Floodlight 150W 4000K
21000lm 60°

product_card.label_realization_photo