

LED line LITE

Code: 211612-II-MV


EAN: 5905378220102

**Hermetic luminaire LINIX 4000K 45W
5400lm IP65 150cm gray LITE motion
sensor MV**



LINIX LITE is a modern LED fixture with high energy efficiency and durability. With a luminous efficiency of 120 lm/W and a wide beam angle of 120°, it provides even and comfortable lighting.

The fixtures can be connected in continuous light lines, allowing for flexible adaptation of lighting to large spaces. With easy installation and a solid construction, LINIX LITE is an excellent choice for demanding users.



Technical data

| Parameter | Value |
|-----------------------------------|----------------|
| Energy efficiency class 2019/2015 | D |
| Warranty | 3 |
| Power | • 45 W |
| Voltage | • 220-240 V AC |
| Correlated colour temperature | • 4000 K |
| Colour of the light | White |
| Colour rendering index Ra | 80 |
| IP protection rating | IP65 |
| IEC protection class | II |
| Luminous efficacy | 120 |
| Luminous flux | 5400 |
| Lifetime L70B50 | 20 000 h |
| Standby power | 0 |

| Parameter | Value |
|--|---------------|
| Mounting type | surface |
| Frequency of the supply voltage | 50/60Hz |
| Beam angle | 120 |
| Sensor type | Microwave |
| Power Factor | 0,95 |
| Number of on/off cycles | 15000 |
| Lamp's warm-up time to 60% | 1 |
| Ambient temperature suitable for operation | -20/+40 |
| Height | 36 mm |
| Colour | White |
| Material (housing) | Polycarbonate |
| Material (cover) | Polystyrene |


LED line LITE

Code: 211612-II-MV


EAN: 5905378220102

**Hermetic luminaire LINIX 4000K 45W
5400lm IP65 150cm gray LITE motion
sensor MV**

Technical drawing




Light distribution



Additional product photos



Logistics data



Single packaging

| | |
|----------|----------|
| Quantity | 1 |
| Width | 51 mm |
| Height | 25 mm |
| Length | 1575 mm |
| Weight | 0,363 kg |

Bulk packaging

| | |
|----------|---------|
| Quantity | 30 |
| Width | 275 mm |
| Height | 230 mm |
| Length | 1580 mm |
| Weight | 11,9 kg |

Comments

Europallet

| | |
|-------------------|--------|
| Quantity | 360 |
| Quantity in layer | 12 |
| Number of layers | 1 |
| Bulk quantity | 12 |
| Weight | 180 kg |

LED line LITE

Code: 211612-II-MV

EAN: 5905378220102

**Hermetic luminaire LINIX 4000K 45W
5400lm IP65 150cm gray LITE motion
sensor MV**

Example application

