

LED line PRIME


Code: 209657

EAN: 5905378209657

**LED bulb E14 3000K 7W 1000lm 230V  
220° G45 Ceramic PRIME**



LED bulb E14 7W 3000K LED line PRIME is distinguished by a high light stream of 1000 lm, providing warm, white light. Its durability is up to 30,000 hours, which guarantees long-term use. Powered by a voltage of 170 to 250 V AC, it is ideal for various E14 threaded fittings. It offers lighting efficiency of 142 lm/W and a low flickering factor, which translates into comfortable indoor lighting conditions.



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 7 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	142
Luminous flux	1000 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	G45
Beam angle	220 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	84 mm
Colour	White
Material	Ceramic
Material (housing)	Ceramics
Material (cover)	glass


LED line PRIME

Code: 209657


EAN: 5905378209657

**LED bulb E14 3000K 7W 1000lm 230V  
220° G45 Ceramic PRIME**

**Technical drawing**



**Light distribution**



**Additional product photos**

**Logistics data**



**Single packaging**

Width	47 mm
Height	125 mm
Length	47 mm
Weight	0,078 kg

**Bulk packaging**

Quantity	100
Width	270 mm
Height	230 mm
Length	530 mm
Volume	0,032 m3
Weight	7 kg

**Europallet**

Quantity	3200
Height	1840 mm
Quantity in layer	
Number of layers	
Bulk quantity	32
Weight	250 kg

---

LED line PRIME

Code: 209657

EAN: 5905378209657

**LED bulb E14 3000K 7W 1000lm 230V  
220° G45 Ceramic PRIME**

---

**Example application**