


LED line PRIME

product_card.label_product_code: 475855
product_card.label_product_gtin: 5907777475855

LED line PRIME FUSION linear lamp
40W 4000K 5200lm 0-10V 60*110° black



product_card.label_technical_data

product_card.label_attribute_name	product_card.label_attribute_value	product_card.label_attribute_name	product_card.label_attribute_value
Sling length	200	Colour rendering index Ra	80
Luminous efficacy	130 lm/W	The lumen maintenance factor	96 %
Colour of the light	White	Power Factor	0,9
Energy efficiency class 2019/2015	C	Ambient temperature suitable for operation	-20÷45 °C
Luminous flux	5200 lm	For indoor use	Inside
Colour consistency in McAdam ellipses	≤6	IEC protection class	I
Standby power	0	IK protection rating	08
IP protection rating	IP20	Lamp's warm-up time to 60%	1
Warranty (years)	5	Length	1158 mm
Dimmable function	0-10	Width	70 mm
Survival factor	0.9	Height	52 mm
Lifetime L70B50	50 000	Power	40 W
Mounting type	mixed	Correlated colour temperature	4000 K
Frequency of the supply voltage	50/60Hz		

LED line PRIME

product_card.label_product_code475855product_card.label_product_gtin:5907777475855

LED line PRIME FUSION linear lamp
40W 4000K 5200lm 0-10V 60*110° black


product_card.label_dimensions

product_card.label_curve_light

product_card.label_product_gallery




product_card.label_logistic_data




product_card.label_single_package

Width	1158 mm
Height	52 mm mm
Length	70 mm mm
Weight	1,82 kg kg



product_card.label_collective_package

Number of pieces/tape in meters pack zb	12 szt.
Width	1260 mm mm
Height of collective packaging	260 mm
Length	260 mm mm
Weight	22,09 kg kg
Volume	0,085 m3 m3



product_card.label_europalette

Number of pieces/tapes in meters euro pallet	288
Quantity collective euro pallet	144 szt.
Weight of a euro pallet	265,2 kg kg
Pallet height	1260 mm
Quantity in 1 layer	144 szt.
Number of layers	1

LED line PRIME

product_card.label_product_code: 475855 product_card.label_product_gtin: 5907777475855

LED line PRIME FUSION linear lamp
40W 4000K 5200lm 0-10V 60*110° black

product_card.label_realization_photo