

LED line LITE


Code: 248320

EAN: 5901583248320

LED line® GU10 5W 6500K 410lm 220-260V 50°



LITE GU10 5W 6500K LED line bulb is an efficient light source that generates a bright stream of 410 lumens at only 5 watts, which translates into 82 lm/W efficiency. It is characterized by a cool light colour at 6500 K and colour stability (MacAdam Steps ≤ 6). Ra color reproduction factor at level 80 provides natural color rendering. Life is as high as 30,000 hours, and the lighting angle is 50°.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	G
Energy class	A+
Warranty	3
Power	• 5 W
Voltage	• 220-260 V AC
Correlated colour temperature	• 6500 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	82
Luminous flux	410
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤ 6
Frequency of the supply voltage	50/60Hz
Fixture's diameter	50 mm
Beam angle	50
LED type	SMD2835
Power Factor	0,4
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1 s
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Material (housing)	Glass
Material (cover)	glass

LED line LITE

Code: 248320


EAN: 5901583248320

LED line® GU10 5W 6500K 410lm 220-260V 50°


Technical drawing




Light distribution




Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

LED line LITE

Code: 248320

EAN: 5901583248320

**LED line® GU10 5W 6500K 410lm 220-
260V 50°**

Example application