

LED line PRIME


Code: 248580-II

EAN: 5905378201514

**LED bulb GU10 2700K 10W 1400lm 230V
120° Ceramic PRIME**



LED bulb GU10 10W by LED line PRIME is a modern lighting solution offering warm light with a colour temperature of 2700K. Its luminous flux is 1,400 lumens, which provides excellent brightness and light performance of 140 lm/W. It works in a wide voltage range from 170V to 250V AC at the power frequency 50/60 Hz. The lighting angle is 120° and the high quality of ceramics guarantees durability and resistance to damage.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 10 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	140
Luminous flux	1400 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Bulb thread type	GU10
Frequency of the supply voltage	50/60Hz
Lamp's type	GU10
Beam angle	120 °
LED type	SMD2835
Power Factor	≥0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Height	55 mm
Colour	White
Material	Ceramic
Material (housing)	Ceramics


LED line PRIME

Code: 248580-II


EAN: 5905378201514

**LED bulb GU10 2700K 10W 1400lm 230V
120° Ceramic PRIME**


Technical drawing



Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	50 mm
Height	63 mm
Length	50 mm
Weight	0,07 kg

Bulk packaging

Quantity	100
Width	280 mm
Height	155 mm
Length	575 mm
Volume	0,024 m3
Weight	7 kg

Europallet

Quantity	5600
Height	1,8 m
Quantity in layer	700
Number of layers	8
Bulk quantity	56
Weight	392 kg

LED line PRIME

Code: 248580-II

EAN: 5905378201514

**LED bulb GU10 2700K 10W 1400lm 230V
120° Ceramic PRIME**

Example application

