MORE EFFICIENCY FOR THE LED WORLD

LE**D** line

LED line PRIME

LED line PRIME LED strip 320 COB 24V 6500K 5W

Code: 211056

EAN: 5905378211056

F New

CE

The LED 320 COB 24V 6500K 5W PRIME is an innovative lighting solution that is characterized by the highest quality of production and effective light performance of 100 lm/W. Thanks to the color of the light 6500 K, perfect colour reproduction has been achieved, making it ideal for various interior applications. The product shall ensure uniform light distribution at a glowing angle of 180°.



Technical data

Parameter	Value
Voltage	• 24 V DC
Luminous efficacy	100
Colour of the light	White
Energy efficiency class 2019/2015	F
Colour consistency in McAdam ellipses	≤3
Warranty (years)	5
IP protection rating	IP20
Dimmable function	PWM
Survival factor	0.9
Minimum purchase quantity	5
Wire length	200 mm
Wattage (lm)	5
Luminous flux (Im)	500
Current (Im)	0,20
Colour rendering index Ra	90
Metres per roll	5 m

Parameter	Value
The lumen maintenance factor	96
Beam angle	180
LED quantity	1600
Compatible dimmer type	PWM
Laminate (colour)	White
Laminate (thickness)	2
LED quantity (Im)	СОВ
Cutting section	5 cm
Type of adhesive tape	3M 300 LSE
Colour consistency in McAdam ellipses	≤3
Ambient temperature suitable for operation	`-30 ÷ 45
For indoor use	Inside
IEC protection class	III
Correlated colour temperature	• 6500 K
Power	• 5W/m

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME


Code: 211056

EAN: 5905378211056

LED line PRIME LED strip 320 COB 24V 6500K 5W

Technical drawing


Light distribution




Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME

Code: 211056

EAN: 5905378211056

LED line PRIME LED strip 320 COB 24V 6500K 5W

Example application