

LED line LITE

Code: 203945

EAN: 5905378203945

**Backlit Panel 2in1 4000K 40W 4000lm  
IP20 30x120cm white Surface-  
mounted/Recessed LITE**



The Backlit Panel 2in1 40W 4000K from the brand LED line LITE is an exceptional lighting fixture that provides excellent craftsmanship and high luminous efficiency of 100 lm/W. It generates a luminous flux of 4000 lm with just 40 W of power. Thanks to the use of SMD LED diodes and an innovative backlit design, the panel guarantees even lighting. The copper-steel housing is characterized by durability, and the IP20 protection class confirms its suitability for indoor use.



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	3
Power	• 40 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IK protection rating	02
IEC protection class	I
Luminous efficacy	100
Luminous flux	4000
The lumen maintenance factor	96

Parameter	Value
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Beam angle	120
Power Factor	>=0,95
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	38 mm
Material (housing)	Metal
Material (cover)	Polystyrene


LED line LITE

Code: 203945


EAN: 5905378203945

**Backlit Panel 2in1 4000K 40W 4000lm  
IP20 30x120cm white Surface-  
mounted/Recessed LITE**

**Technical drawing**




**Light distribution**



**Additional product photos**

**Logistics data**



**Single packaging**

Width	1205 mm
Height	45 mm
Length	305 mm
Weight	1,68 kg

**Bulk packaging**

Quantity	4
Width	325 mm
Height	200 mm
Length	1225 mm
Volume	0,079 m <sup>3</sup>
Weight	8,1 kg

**Europallet**

Quantity	36
Height	1,90 m
Quantity in layer	
Number of layers	
Bulk quantity	9
Weight	122 kg

---

LED line LITE

Code: 203945

EAN: 5905378203945

**Backlit Panel 2in1 4000K 40W 4000lm  
IP20 30x120cm white Surface-  
mounted/Recessed LITE**

---

Example application