

EAN: 5905378218307

LED line PRIME

Panel Backlit 34W 4000K 4760lm UGR<19 60x60 Emergency module PRIME LAW3HAT



Code: 205833-LAW3HAT

The 34W Backlit PRIME LAW3HAT panel emits a white light with a colour temperature of 4000K generates an impressive luminous flux of 4760 lm, which ensures high luminous efficiency of 140 lm/W. With UGR value<19 guarantees comfortable working conditions, minimizing the glare. The built-in emergency module allows up to 3 hours in case of power outage. Aluminium housing and polystyrene lid material provide an aesthetic appearance and durability.





Technical data

Parameter	Value
Operating time in emergency mode	3 h
Emergency module test	Auto Test
Voltage	• 200-240 V AC
Luminous efficacy	140
Colour of the light	White
Energy efficiency class 2019/2015	D
Luminous flux	4760
Colour consistency in McAdam ellipses	≤6
Warranty (years)	5
IP protection rating	IP20
Dimmable function	PWM
Survival factor	0.9
Lifetime L70B50	50 000 h
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
Colour	white

Parameter	Value
The lumen maintenance factor	96
Beam angle	90
Material (cover)	polystyrene
Material (housing)	Aluminium
LED type	SMD LED 2835
LED quantity	72
Power Factor	0,9
Number of on/off cycles	50000
Colour consistency in McAdam ellipses	≤6
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
IEC protection class	II
IK protection rating	02
Lamp's warm-up time to 60%	1 s
Correlated colour temperature	• 4000 K
Power	• 34 W



LED line PRIME Code: 205833-LAW3HAT EAN: 5905378218307

Panel Backlit 34W 4000K 4760lm UGR<19 60x60 Emergency module PRIME LAW3HAT


Technical drawing


Light distribution

Additional product photos



Logistics data







Single packaging

Bulk packaging

Europallet



LED line PRIME Code: 205833-LAW3HAT EAN: 5905378218307

Panel Backlit 34W 4000K 4760lm UGR<19 60x60 Emergency module PRIME LAW3HAT

Example application

