

LED line LITE

Code: 202023

EAN: 5905378202023

**LED tube T8 G13 4000K 18W 1820lm
230V 270° 120cm Glass LITE**



LED light T8 18W LED line LITE is a perfect combination of modern technology and energy efficiency. It is characterized by a light stream of 1820 lumens at low power consumption of 18 W, which provides a light performance of 100 lm/W. The neutral colour of light with a temperature of 4000 K and a lighting angle of 270° guarantee uniform lighting.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	2
Power	• 18 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	100
Luminous flux	1820 lm
The lumen maintenance factor	96
Lifetime L70B50	15 000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Lamp's type	T8
Beam angle	270 °
LED type	SMD2835
LED quantity	72
Power Factor	>=0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Material	Glass
Material (housing)	Glass
Material (cover)	glass


LED line LITE

Code: 202023


EAN: 5905378202023

**LED tube T8 G13 4000K 18W 1820lm
230V 270° 120cm Glass LITE**



Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	46 mm
Height	61 mm
Length	46 mm
Weight	0,18 kg

Bulk packaging

Quantity	25
Width	1290 mm
Height	175 mm
Length	170 mm
Volume	0,021 m3
Weight	5,1 kg

Europallet

Quantity	900
Height	1,90 m
Quantity in layer	100
Number of layers	9
Bulk quantity	36
Weight	190 kg

LED line LITE

Code: 202023

EAN: 5905378202023

**LED tube T8 G13 4000K 18W 1820lm
230V 270° 120cm Glass LITE**

Example application