

LED line LITE

Code: 247415

EAN: 5901583247415

**LED bulb E27 4000K 12W 1212lm 230V
240° A60 PC LITE**



LED bulb E27 12W 4000K 1212lm from LED line LITE is an innovative light source with excellent performance. It generates a strong light stream of 1212 lumens at the consumption of only 12 watts. The 4000 K light colour provides neutral lighting, which faithfully mimics the colours thanks to the Ra color rendering factor of 80. Thanks to the durability of up to 50,000 hours and the lack of flickering effect, it is both energy efficient and comfortable to use.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 12 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous flux	1212 lm
The lumen maintenance factor	96
Lifetime L70B50	50 000 h

Parameter	Value
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	35000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Beam angle	240 °
Lifespan	50 000 h
Number of on/off cycles	50000
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Material (housing)	Polycarbonate


LED line LITE

Code: 247415

EAN: 5901583247415

**LED bulb E27 4000K 12W 1212lm 230V
240° A60 PC LITE**




Technical drawing



Light distribution

Additional product photos

Logistics data



Single packaging

Quantity	1
Width	61 mm
Height	110 mm
Length	61 mm
Weight	0,04 kg

Bulk packaging

Quantity	100
Width	320 mm
Height	270 mm
Length	625 mm
Volume	0,054 m3
Weight	4,5 kg
Comments	

Europallet

Quantity	2000
Height	1,8 m
Quantity in layer	400
Number of layers	5
Bulk quantity	20
Weight	180 kg

LED line LITE

Code: 247415

EAN: 5901583247415

**LED bulb E27 4000K 12W 1212lm 230V
240° A60 PC LITE**

Example application