

LED line

Code: 477071

EAN: 5907777477071

LED line® Strip 600 SMD 24V 4000K
9,6W IP65



product_card.label_technical_data

Parameter	Value	Parameter	Value
Luminous efficacy	100 lm/W	LED type	SMD2835
Colour of the light	White	LED quantity	600
Energy efficiency class 2019/2015	F	Compatible dimmer type	PWM
Colour consistency in MacAdam ellipses	≤6	Laminate (colour)	White
IP protection rating	IP65	Cutting section	2,5
Warranty (years)	3	Type of adhesive tape	3M 300 LSE
Dimmable function	PWM	Colour consistency in MacAdam ellipses	≤6
Survival factor	0.9	Ambient temperature suitable for operation	-20÷45 °C
Minimum purchase quantity	5	For indoor and outdoor use	YES
Lifetime L70B50	30 000	IEC protection class	III
Current (Im)	0,4	Length	5000 mm
Colour rendering index Ra	80	Height	3 mm
Metres per roll	5	Power	• 9,6
The lumen maintenance factor	96 %	Voltage	• 24 V DC
Beam angle	120 °	Correlated colour temperature	• 4000 K

LED line


Code: 477071

EAN: 5907777477071


LED line® Strip 600 SMD 24V 4000K
9,6W IP65

product_card.label_dimensions


product_card.label_curve_light




product_card.label_product_gallery




product_card.label_logistic_data



Single packaging



Bulk packaging



Europallet

Number of pieces/tape in meters pack zb 100

Number of pieces/tapes in meters euro pallet	2400
Quantity collective euro pallet	60
Weight of a euro pallet	300 kg
Pallet height	1800
Quantity in 1 layer	6
Number of layers	10

LED line

Code: 477071

EAN: 5907777477071

**LED line® Strip 600 SMD 24V 4000K
9,6W IP65**

Example application