

LED line

Code: 478689

EAN: 5907777478689

LED line® strip 300 SMD 12V 4000K
RGBW 19,2W 30m



LED strip 300 SMD 12V 4000K RGBW with 19.2W and 30m length from LED line is a modern light source, which stands out for its high light performance and versatility. Thanks to the use of SMD diodes in RGBW colours and light colour temperature of 4000K, the product offers a wide selection of light effects. High durability and resistance to external factors ensure long-term use.



Technical data

Parameter	Value
Voltage	• 12 V DC
Colour of the light	RGBW MULTICOLOR&WHITE
Energy efficiency class 2019/2015	G
IP protection rating	IP20
Dimmable function	PWM
Survival factor	0,9
Minimum purchase quantity	30
Lifetime L70B50	50 000 h
Wire length	200 mm
Wattage (lm)	19,2W
Luminous flux (lm)	400
Current (lm)	1,6
Colour rendering index Ra	80
Metres per roll	30 m
The lumen maintenance factor	96%

Parameter	Value
Beam angle	120
LED type	5050
LED quantity	300
Compatible dimmer type	PWM
Laminate (colour)	White
Laminate (thickness)	3
Cutting section	5 cm
Type of adhesive tape	3M 300 LSE
Colour consistency in McAdam ellipses	≤3
Ambient temperature suitable for operation	-25÷45
For indoor use	Inside
IEC protection class	III
Correlated colour temperature	• 4000 K
Power	• 19.2 W/m

LED line

Code: 478689

EAN: 5907777478689

**LED line® strip 300 SMD 12V 4000K
RGBW 19,2W 30m**

Technical drawing

Light distribution

Additional product photos

Logistics data



Single packaging



Bulk packaging



Europallet

LED line

Code: 478689

EAN: 5907777478689

**LED line® strip 300 SMD 12V 4000K
RGBW 19,2W 30m**

Example application