LEDline

LED line   Code: 478689   EAN: 5907777478689

LED strip 300/5m SMD 12V 4000K RGBW 19,2W IP20 12mm 30m 400lm/m LITE

A↑G **G**

LED strip 300 SMD 12V 4000K RGBW with 19.2W and 30m length from LED line is a modern light source, which stands out for its high light performance and versatility. Thanks to the use of SMD diodes in RGBW colours and light colour temperature of 4000K, the product offers a wide selection of light effects. High durability and resistance to external factors ensure long-term use.

CE

Technical data

Parameter	Value
Energy efficiency class 2019/2015	G
Power	• 19.2 W / m
Voltage	• 12 V DC
Correlated colour temperature	• 4000 K
Colour of the light	RGBW MULTICOLOR&WHITE
Colour rendering index Ra	80
IP protection rating	IP20
IEC protection class	III
Cutting section	5 cm
The lumen maintenance factor	96%
Lifetime L70B50	30 000 h
Survival factor	0,9
Dimmable function	PWM

| Parameter	Value
Wire length	200 mm
Luminous flux (1m)	400
Current (1m)	1,6
Beam angle	120
LED type	5050
LED quantity	300
Compatible dimmer type	PWM
Laminate (colour)	White
Laminate (thickness)	3
LED quantity (1m)	60
Type of adhesive tape	3M 300 LSE
Ambient temperature suitable for operation	-25÷45
For indoor use	Inside

LED strip 300/5m SMD 12V 4000K
RGBW 19,2W IP20 12mm 30m 400lm/m
LITE

Technical drawing

Light distribution

Additional product photos

Logistics data

Single packaging

Weight	0,7 kg

Bulk packaging

Quantity	15
Width	350 mm
Height	290 mm
Length	450 mm
Weight	10,5 kg

Europallet

LED line   Code: 478689   EAN: 5907777478689

LED strip 300/5m SMD 12V 4000K
## RGBW 19,2W IP20 12mm 30m 400lm/m
LITE

Example application

LED line   Code: 478689   EAN: 5907777478689